



TravelMate P2 15

TRAVELMATE P2 15 TMP215-75-G2TCO-579W

(PN: NX.BLPEB.001 - EAN: 4711474608055)



TravelMate P2 15

Diseñado para el profesional moderno, el TravelMate P2 15 es un portátil empresarial seguro, resistente y de alto rendimiento equipado con el último procesador Intel Core Ultra, Thunderbolt 4 y certificación MIL-STD 810H para una productividad sin complicaciones en cualquier lugar.

Rendimiento listo para la empresa

Eleva tu productividad con el procesador Intel® Core™ Ultra que ofrece funciones para impulsar tu carga de trabajo.

Mecanografía, pantalla y audio mejorados

El teclado de 1,55 mm de recorrido y el touchpad OceanGlass™ de mayor tamaño ofrecen una experiencia de entrada cómoda y precisa, mientras que la pantalla Full HD de 15,6" y el audio DTS mejoran la calidad visual y de sonido para una experiencia de trabajo envolvente.

Conectividad y expansión inteligentes

Thunderbolt 4, Wi-Fi 6E y compatibilidad con LAN garantizan conexiones rápidas y flexibles, asegurando una productividad continua en la oficina o de viaje.

General

AI-PC	No
Tipología	Notebook
Función / Uso	Office
Form Factor	Mainstream
Convertible	No
Color	Plata
Nombre comercial	TravelMate P2 15
MIL-STD 810 Compliant	H

Sistema operativo

Familia del sistema operativo	Windows 11
Descripción del sistema operativo	Windows 11 Pro

Aplicaciones/Utilidades/Antivirus instalados Microsoft 365 (versión de prueba - 30 días de prueba gratuita)

Procesador y conjunto de chips

Marca del procesador	Intel
Generación Intel	Procesador Intel Core Ultra 5 xxxxxx
Procesador	Core Ultra 5
Siglas del procesador	125H Lanzamiento Q4'23 Passmark: 21,263
Caché de segundo nivel (MB)	18
Velocidad del reloj (GHz)	1,2
Velocidad de reloj turbo (GHz)	4,5
Marca del chipset	Intel
Tipo de chipset	Integrado

Memoria

RAM instalada (GB)	16
RAM máxima admitida (GB)	64
Tipo de RAM	DDR5
Número total de ranuras de RAM	2
Numerosas ranuras libres para RAM	1
Frecuencia RAM (MT/s)	5600
B2C Plus	SDRAM

Almacenamiento

Tipo de disco duro	SSD PCI EXPRESS
---------------------------	-----------------

Capacidad SSD (GB)	512
Ranura para SSD M.2	2
Descripción Ranura SSD M.2	1 x 512 GB SSD M.2 1 x Ranura libre
Lector de tarjetas	MicroSD
Smart Card Reader	No
Tipo de unidad óptica	no presente
Ranura OPTANE	No
Partición de recuperación	Si

Pantalla y gráficos

Formato de la pantalla	16:9
Tipo de pantalla	LCD
Tamaño de la pantalla (")	15,6
es - Tecnología del display	IPS
Frecuencia de actualización de la imagen (Hz)	60
Brillo de la pantalla (Nit)	300
Resolución Ultra HD	No
Resolución horizontal (píxel)	1920
Resolución vertical (píxel)	1080
Pantalla táctil	No
Pantalla antirreflectante	Si
3D	No
HD Tipo	Full HD
Marca de la tarjeta gráfica	Intel
Modelo de tarjeta gráfica	Arc Graphics
Memoria gráfica dedicada (MB)	0

Audio

Tipo de altavoces	DTS® Audio, featuring optimized bass response and micro-speaker distortion prevention
Salida de auriculares	1
Salida de audio	1

Red y comunicación

Bluetooth	Bluetooth 5.3
Ethernet	Si
Tipo de Ethernet	10/100/1000
Wifi	Si
Tipo de WiFi	WiFi6E+BT
Protocolo WiFi	802.11 a/b/g/n/ac/ax
Módem	No
Módulo G (UMTS)	No
Ranura SIM	No

Dispositivos integrados

Infrarojos	No
Tarjeta de TV	No
Sintonizador de TV	No
Micrófono	Si
Cámara web	Si
Lector de huellas dactilares	No
Otras características de la cámara	FHD USB Camera

Cámara trasera	No
Flash integrado	No
Enfoque automático incorporado	No

Interfaces/puertos

TPM 2.0	Si
Tipo de TPM	Standard
Número de puertos en serie	0
Conector RJ 45	1
Número de entrada de micrófono	1
Número de entrada de audio	1
Puerto PS/2	0
Conector RJ 11	0
VGA	No
DVI	No
Tipo HDMI	2.1 HDCP
HDMI	Si
DisplayPort	No
Número de puertos USB 3.2	2
Número de puertos USB tipo «C»	2 Thunderbolt 4
Número total de puertos USB totales	4
Número de puertos paralelos	0

Dispositivos de entrada

Teclado	Teclado QWERTY en español con teclado numérico
Mando a distancia	No
Teclado retroiluminado	No

Información de la batería

Tipo de batería	53Wh Li-ion battery (type 53Wh_150301), weight 220 g Supports Fast Charging technology
Capacidad de la batería (celdas)	3
Autonomía (h)	12

Características físicas

Altura neta del producto (cm)	2,030
Ancho neto del producto (cm)	36,120
Profundidad neta del producto (cm)	24,270
Peso neto del producto (kg)	1,620
Altura bruta del producto (cm)	6,5
Profundidad bruta del producto (cm)	31
Peso bruto del producto (kg)	2,590
Kensington Lock Slot	Si

Varios

2 x USB Type-C™ port supporting:
• USB4® 40Gbps

Otros

- USB charging 5 V; 3 A
- DC-in port 20 V; 65 W

65 W PD PCR 50%, TCO 10.0 AC adapter • 5 V / 3 A or
9 V / 3 A or 12 V / 3 A or 15 V / 3 A or 20 V / 3.25 A as

Tipo de fuente de alimentación

output power
Cable de alimentación Continental (Tipo E+F)





Para la mejora continua de la calidad de nuestros productos, esta hoja de datos está sujeta a cambios sin previo aviso. Acer no se hace responsable de los errores u omisiones en las descripciones de los productos. Copyright 2025 Acer España . Todos los derechos reservados. Acer y el logotipo de Acer son marcas registradas de Acer Incorporated. Microsoft y Windows son marcas registradas de Microsoft Corporation. Intel y Pentium son marcas registradas de Intel Corporation. Todas las demás marcas comerciales, marcas registradas y/o servicios mencionados o señalados de otro modo son propiedad de sus respectivos propietarios.

GPSR: <https://www.acer.com/es-es/support/directive/gpsr>

ORDENADOR PORTÁTIL	Acer TMP215-75-G2-TCO P/N: NX.BLPEB.001
CPU	
Procesador	Intel® Core™ Ultra 5 125H
Velocidad (GHz)	4.5 GHz frecuencia máxima o turbo
Núcleos físicos	14
Fecha de lanzamiento	Q4'23
Puntuación PassMark	21,263
Otros dispositivos	
Memoria RAM	16 GB DDR5 – 5600 MHz
Almacenamiento interno	512 GB SSD NVMe
Sistema Operativo	Windows 11 Pro-64
Tarjeta gráfica	Resolución FullHD 4096 x 2304 @ 60Hz, 4096 x 2304 @ 120Hz
Nº pantallas soportadas	Integrada + 2 x pantalla externa Una por puerto HDMI y otra por USB Thunderbolt (ALT-Mode)
Tarjeta de sonido	Integrada
Conectividad inalámbrica	
WiFi	WiFi 6E
Bluetooth	Bluetooth 5.3
Interfaces E/S	
USB 3.0 tipo A	2 x USB <3.2> Tipo A
USB 3.0 tipo C	2 x USB <Thunderbolt 4> Tipo C (DisplayPort + Power Delivery + USB) SI
Red Ethernet	1 x RJ-45 1 Gbps
Vídeo	HDMI 2.1
Audio E/S	Interfaz de audio jack 3.5 mm
Dock station o dispositivo externo tipo dongle	NO se suministra
Pantalla	
Tamaño de la pantalla	15,6 pulgadas
Periféricos	
Teclado español	Teclado español ES-ES
Ratón	Ratón integrado táctil con dos botones
Webcam	Webcam FullHD con obturador de privacidad
Lector de tarjetas inteligentes integrado ISO-7816 (DNI-e)	NO
Batería	
Batería tipo smartbattery	Batería tipo smart battery

Certificados energéticos	
EPEAT	SI
Energy Star 8.0	SI
TCO	SI
Certificados de robustez	
Certificación MIL STD 810H	<p>Método de prueba 501.7 Alta temperatura Método de prueba 502.7 Baja temperatura Método de prueba 507.6 Humedad Método adicional 514.8 Vibración Método adicional 516.8 Caída package & unpackage Método adicional 506.6 Lluvia Método adicional 510.4 Polvo</p>
Seguridad	
Arranque seguro	Sí
Chip TPM	Sí
Cámara compatible con reconocimiento facial	NO
Lector de huellas dactilares	NO
Otro dispositivo de identificación biométrica	NO

SGS
Reliability Laboratory

LETTER OF CONFORMITY

January 14, 2025
Page: 1 of 2

Applicant	ACER INCORPORATED
Address of Applicant	8F., NO. 88, SEC. 1, XINTAI 5 TH RD., XIZHI DIST., NEW TAIPEI CITY, TAIWAN, R.O.C.
Product Name	Notebook (TMP215-55-G2, TMP215-55T-G2, TMP215-55-G2-TCO, TMP215-55T-G2-TCO, TMP215-75-G2, TMP215-75T-G2, TMP215-75-G2-TCO, TMP215-75T-G2-TCO)
Model/ Type Ref.	N24Q10


Tested items:

Test	Standard	Test Specification	Report No.	Result
High Temperature Test-I	MIL-STD-810H: 2019, Method 501.7, Procedure I and client's request IEC 60068-2-2, Edition 5.0: 2007 and client's request	48 hours constant temperature exposure 60 °C, Non-Operating	HX80010A/2024	Pass
Low Temperature Test-I	MIL-STD-810H: 2019, Method 502.7, Procedure I and client's request IEC 60068-2-1, Edition 6.0: 2007 and client's request	48 hours constant temperature exposure -30 °C, Non-Operating	HX80010A/2024	Pass
High Temperature Test-II	MIL-STD-810H: 2019, Method 501.7, Procedure II and client's request IEC 60068-2-2, Edition 5.0: 2007 and client's request	8 hours constant temperature exposure 49 °C, Operating	HX80010A/2024	Pass
Low Temperature Test-II	MIL-STD-810H: 2019, Method 502.7, Procedure II and client's request IEC 60068-2-1, Edition 6.0: 2007 and client's request	8 hours constant temperature exposure -32 °C, Operating	HX80010A/2024	Pass
Humidity Test	MIL-STD-810H: 2019, Method 507.6, Procedure I - Nature Cycle B3 and client's request	Table 507.6-II, Nature B3, 15 days exposure, Operating	HX80010A/2024	Pass
Vibration Test	MIL-STD-810H: 2019, Method 514.8, Procedure I, Category 24 - General minimum integrity exposure and client's request	Figure 514.8E-1, Category 24 - General minimum integrity exposure, 1 hour/ axis Operating	HX80010A/2024	Pass
Transit Drop Test-I	MIL-STD-810H: 2019, Method 516.8, Procedure IV - Transit Drop and client's request	26 total drops from 122 cm height, free drop onto 2 inches of plywood over concrete, Packaged	HX80010A/2024	Pass
Transit Drop Test-II	MIL-STD-810H: 2019, Method 516.8, Procedure IV - Transit Drop and client's request	26 total drops from 122 cm height, free drop onto 2 inches of plywood over concrete, Operating	HX80010A/2024	Pass
Rain Test	MIL-STD-810H: 2019, Method 506.6, Procedure III - Drip and client's request	1 minute, water flow rate 342.5 ml/m ² / minute Operating	HX80010A/2024	Pass
Dust Test	MIL-STD-810F: 2000, Method 510.4, Procedure III and client's request	3 days test duration for 6 g/m ³ /day dust concentration, Operating	HX80010A/2024	Pass



Annex B2 - Product environmental attributes
Computers and computer monitors


The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Acer	Logo 
Company name *	Acer Inc	
Contact information *	Name: RU Jan	
e-mail address	e-mail: RU.Jan@acer.com	
Internet site *	www.acer.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.	
Type of product *	Notebook
Commercial name *	TMP215-55-G2, TMP215-55-G2-TCO, TMP215-55T-G2, TMP215-55T-G2-TCO, TMP215-75-G2, TMP215-75-G2-TCO, TMP215-75T-G2, TMP215-75T-G2-TCO
Model number *	N24Q10
Issue date *	2025/03/18
Intended market *	<input checked="" type="checkbox"/> Global <input type="checkbox"/> Europe <input type="checkbox"/> Asia, Pacific & Japan <input type="checkbox"/> Americas <input type="checkbox"/> Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

<p>About Annex B2 Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 - P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.</p>

Model number *	N24Q10	Logo 
Issue date *	2025/03/18	

Product environmental attributes - Legal requirements		Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbon tetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P1.4*	Products do not contain more than: 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.acer-group.com/sustainability/en/chemical-management-plans.htm	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.2*	The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Required information is: <input type="checkbox"/> given in item P15 or added to this document, <input checked="" type="checkbox"/> available at (add URL): www.acer.com	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

NOTE B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	N24Q10	Logo
Issue date *	2025/03/18	

Product environmental attributes - Market requirements (See General NOTE GN below)				
- Environmental conscious design				
Item		Requirement met		
*mandatory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7. Design				
Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.2*	Plastic materials in covers/housing have no surface coating.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.8*	Upgrading can be done using commonly available tools	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.9	Spare parts are available after end of production for: years			<input type="checkbox"/>
P7.10	Service is available after end of production for: years			<input type="checkbox"/>
Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.13	Insulation materials of internal electrical cables are PVC free.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all <input type="checkbox"/> PCBs > 25 g <input checked="" type="checkbox"/> are low halogen as defined in IEC 61249-2-21. (See NOTE B2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC+ABS-TD15FR(40)< & >PC+ABS-TD15(REC60)FR(40)<	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) <input type="checkbox"/> TBBPA (reactive) <input type="checkbox"/> (See NOTE B3), Other; chemical name: 9,10-Dihydro-9-oxa-10-phosphaphenanthrene 10-Oxide , CAS #: 35948-25-5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.18	Alt. 1: Flame retarded/preparations in concentrations above 0,1%: 1. Chemical name: Aromatic polyphosphate , CAS #: 181028-79-5 (See NOTE B4) 2. Chemical name: , CAS #: * 3. Chemical name: , CAS #: *	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.19	Plastic parts > 25 g, are free from flame retardant substances/ preparations above 0,1% are classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See NOTE B3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

GENERAL NOTE: Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2: IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4: A Guidance document on Chemical substances is available; see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>.

NOTE B5: If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	N24Q10	Logo 
Issue date *	2025/03/18	


Product environmental attributes - Market requirements (continued)		Requirement met		
Item		Yes	No	n.a.
Material and substance requirements (continued)				
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 18.9270% or b) The weight of recycled material is 119.6 g .	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.21*	Biobased plastic material content is used in the product (See NOTE B7): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is % or b) The weight of the biobased plastic material is g.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.23*	If product includes an integral display, the total mercury content in the integrated display: mg	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P8 Batteries				
P8.1*	Battery chemical composition: Lithium Battery / RTC Battery	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P9 Energy consumption (See NOTE B8)				
P9.1 For the product the following power levels or energy consumptions are reported:				
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.044W	0.044W	0.066W	ENERGY STAR V8.0
PTEC * Typical Energy Consumption	2.502283 W	2.437215 W	2.659817 W	ENERGY STAR V8.0
ETEC * Annual Energy Consumption	21.92 kWh/year	21.35 kWh/year	23.3 kWh/year	ENERGY STAR V8.0
External Power Supply Efficiency Level (International Efficiency Marking Protocol) * : VI				<input type="checkbox"/>
Display resolution * : 1920x1080 megapixels				<input type="checkbox"/>
Default time to enter energy save mode: 10 minutes				<input type="checkbox"/>
P9.2*	Information about the energy save function is provided with the product.			<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
P9.3	Energy efficiency class (monitors only):			<input checked="" type="checkbox"/>

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available;

see <http://www.nema-international.org/publications/standards/Ecma-370.htm>.

Model number *		N24Q10		Logo				
Issue date *		2025/03/18						
Product environmental attributes - Market requirements (continued)								
Item						Requirement met		
						Yes	No	n.a.
P10 Emissions								
Noise emission - Declared according to ISO 9296 (See NOTE B9)								
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L_{WA} (B)					
	Idle	* Idle	* 2.18					
	Operation	*						
	Other mode	*						
Measured according to: <input checked="" type="checkbox"/> ISO 7779 <input type="checkbox"/> ECMA-74 <input type="checkbox"/> Other (only if not covered by ECMA-74)								
Electromagnetic emissions								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):					<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P12 Ergonomics for computing products								
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.					<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.					<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P13 Packaging and documentation								
P13.1*	Product packaging material type(s): Papers		weight (kg): 0.791 & 0.571					
	Product packaging material type(s): PET/PE/PP/LDPE		weight (kg): 0.02458					
P13.2*	Product plastic primary packaging is free from PVC.					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %							<input type="checkbox"/>
P13.4*	Specify media for user and product documentation (to box): Electronic <input checked="" type="checkbox"/> Paper <input checked="" type="checkbox"/> Other <input type="checkbox"/>							<input type="checkbox"/>
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P14 Voluntary programs								
P14.1	The product meets the requirements of the following voluntary program(s):							
	ENERGY STAR®	Criteria version: 8.0	Date: 2025/03/20	Product category: Notebook, 2				
	Eco-label:	Criteria version:	Date:	Product category:				
	Eco-label:	Criteria version:	Date:	Product category:				
P15 Additional information (See NOTE B10)								
P10	Noise Emission: Declared A-weighted sound pressure level L_{pAm} (Idle 18.8 dB)							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: The low halogen of power adaptor is optional.							

NOTE B9: A Guidance document on Acoustic Noise is available:
see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>.

NOTE B10: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive) Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register. Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	P6.1



EC/EU DECLARATION OF CONFORMITY

We,

Acer Incorporated
8F, 88, Sec. 1, Xintai 5th Rd., Xizhi,
New Taipei City 221
Contact Person: Mr. RU Jan, e-mail: ru.jan@acer.com

Acer Italy s.r.l.
Viale delle Industrie 1/A, 20044 Arese (MI), Italy
Tel: +39-02-939-921 Fax: +39-02-9399-2913

Product:	Notebook Computer		
Trade Name:	acer		
Model Number:	N24Q10**		
SKU Number:	TMP215-55-G2*****	TMP215-55T-G2*****	
	TMP215-75-G2*****	TMP215-75T-G2*****	
	(* is "0-9", "a-z", "A-Z", "-", or blank)		


We, Acer Incorporated, hereby declare under our sole responsibility that the product described above is in conformity with the relevant Union harmonization legislation: Directive 2014/53/EU on Radio Equipment, RoHS Directive 2011/65/EU and ErP Directive 2009/125/EC. The following harmonized standards and/or other relevant standards have been applied:

Electromagnetic compatibility (Directive 2014/30/EU)		
EN55032:2015+A1:2020	EN55035:2017+A11:2020	EN301489-1 V2.2.3
EN301489-17 V3.2.4	EN IEC61000-3-2:2019	EN61000-3-3:2013+A1:2019
Radio frequency spectrum usage (Directive 2014/53/EU)		
EN300328 V2.2.2	EN300440 V2.2.1	EN301893 V2.1.1
EN303 687 V1.1.1		
Healthy and Safety (Directive 2014/35/EU)		
EN62368-1:2014+A11:2017 EN50566:2017 or EN62311:2008		
RoHS (Directive 2011/65/EU)		
EN IEC63000:2018 REACH EC 1907/2006 - SVHC and Organotin compound - annex VXII		
ErP (Directive 2009/125/EC)		
(EU) No.2019/1782; EN50563:2011(IEC) No.1275/2008; EN50564:2011		

Radio Equipment Model: AX211NGW,

Operation frequency and radio-frequency power are listed as below:

[BT] 2402-2480MHz <10 dBm [WLAN] 2412MHz-2472MHz <20dBm, 5150-5350, 5470-5725, 5725-5850, 5925-6425MHz <23dBm
NB: 1177 TIMCO Engineering Inc. License Nr: E1177-244541



Year to begin affixing CE & UKCA marking: 2025 RU Jan, Sr.Manager@New Taipei City 2025-03-31

Note: Open the Start Menu or visit www.acer.com > support, search for 'Acer Documents' for other information which is important for your health and safety.

<https://www.epeat.net/product-details/a50d6d4d22584d0588edeae8829fb622?backUrl=%2Fproduct-finder%3Fquery%3Dtmp215-75-g2>

TMP215-75-G2-TCO

Product Summary:

Product Type:	Notebook
Registered In:	Spain
Manufacturer:	Acer
EPEAT Tier:	Gold
Registration Date:	2025-05-26
Product Status:	Active

All unique product identifiers existing for this product may not be listed here. If the unique product identifier you are looking for is not listed, please contact EPEAT at EPEAT@GEC.org.

EXPORT PRODUCT SUMMARY

EPEAT Tier Score Detail

For a product to be listed on the EPEAT Registry, it must, at a minimum, meet the applicable "required" criteria. [Click here](#)

<https://www.epeat.net/product-details/a50d8d4d22584d0588edeae8829fb822?backUrl=%2Fproduct-finder%3Fquery%3Dtmp215-75-g2>

Certificate of Conformance

Energy Efficiency Certification

Certificate No.

4791710679

Issue date

2025-03-28

Revision date



UL Verification Services Inc conducted an independent evaluation on behalf of:

ACER INC

XIZHI, 8 F 88 XINTAI 5TH ROAD, SEC 1, NEW TAIPEI CITY 221 Taiwan

for the following products:

Computers

Brand: acer

Model: See Appendix A

This product meets all of the necessary qualifications pursuant to:

ENERGY STAR® PROGRAM REQUIREMENTS FOR COMPUTERS -
VERSION 8.0 - Effective Date 2020/10/15

A handwritten signature in black ink.

Program owner



Form-ULID-001236 Version 8.0, This is to certify that representative samples of the Certified Product(s) listed above have been investigated by UL Verification Services Inc., located at 333 Pfingsten Rd, Northbrook, IL 60062, to the Standard(s) indicated on this certificate, in accordance with the UL Global Services Agreement and the EEC Terms & Conditions ("Agreement"). The Certificate Holder is entitled to use the UL Energy Verified Mark for the Certified Product(s) listed on the certificate and manufactured at the production site(s) covered by the UL Test Report, in accordance with the terms of the Agreement. This Certificate shall remain valid unless a Standard identified on this Certificate is amended or withdrawn prior to that date or there is a non-compliance with the Agreement.

Appendix A

Model Name	Model Number	Family Models		Additional Identifying Information
		Model Name	Model Number	
N24Q10	TMP215-55-G2		TMP215-55-G2-TCO	
			TMP215-55T-G2	
			TMP215-55T-G2-TCO	
			TMP215-75-G2	
			TMP215-75-G2-TCO	
			TMP215-75T-G2	
			TMP215-75T-G2-TCO	





CERTIFICATE

TCO Certified, generation 9 for notebooks



Brand name: Acer

Sales name: TravelMate P2 15

Certification date: 2024-09-22

Expiry date: 2026-09-22

Toward sustainable IT products

TCO Certified is the world-leading sustainability certification for IT products. It is an easy-to-use tool that helps you get environmental and social sustainability right. Criteria are mandatory, tough, and apply globally. Compliance is always independently verified.

For more information, visit tccertified.com.

No. N924090522

Bahar Kimanos
Certification process
TCO Development

This certificate confirms that a sample of the certified product, as stated herein, has been tested and approved as to its compliance with the criteria document valid at the time of the laboratory test. The certified product may, subject to the use of the unique combination of brand name, type/model name and sales name as stated in this certificate, be marked and sold with the TCO Certified label in accordance with the agreement.

Appendix to certificate No. N924090522 -1



Brand name: Acer
Sales name(s):
TravelMate P2 15

Separate power supply: Yes, Class 1 & Class 2
Operating mode sound level: 3.4 B



20%
Recycled plastic



1.6 kg
Total weight of product



Energy consumption:
For energy consumption and yearly emissions, visit tcocertified.com/product-finder/



Aspect ratio: 16:9
Panel size: 15.6 in
Min. resolution width: 1920 px
Min. resolution height: 1080 px



Battery longevity:
The main battery in this product is tested to withstand at least: **300** full discharges until it reaches 80% of the initial capacity



Durability
Drop test height: 122 cm
High temp operational: 49° C
Low temp operational: -32° C

Model names(s)

N24Q10, TMP215-55-TCO, TMP215-55T-TCO, TMP215-55-G2-TCO, TMP215-55T-G2-TCO, TMP215-75-G2-TCO, TMP215-75T-G2-TCO

Model name type key(s)

1st *: N/A
2nd *: N/A

Bahar Kimanos
Certification process
TCO Development

Appendix to certificate No. N924090522 -1



Panels:

AUO / B156HAN02.1, CSOT / MNF601BS1-1, Innolux / N156HCA-EAB C4, HKC / MB156CS01-A, AUO / B156HAK02.5, BOE / NV156FHM-T0K V8.1, AUO / B156HTN06.1, Innolux / N156HGA-EA3 C1, BOE / NT156FHM-N61 V8.0



Batteries:

LGES / AP23A8L, LGES / AP22A8N, CosMX / AP23ABL, CosMX / AP22ABN, PANASONIC / AP23A5L, SIMPLO / AP23A7L



Adapters:

LITE-ON / PA-1650-58, Chicony / A18-065N3A, Delta / ADP-100XB B, Chicony / A22-100P2A, Delta / ADP-65KE D, Chicony / A20-065N3A

A handwritten signature in black ink, appearing to read 'Bahar Kimanos'.

Bahar Kimanos
Certification process
TCO Development